ERYTHROCID



Best rotation program for Mycoplasma prevention

Erythrocid which contains Erythromycin belongs to the group of macrolide antibiotics. Erythromycin Thiocyanate acts as a bacteriostatic antibiotic in effectively treating the infections caused by bacterial species like Mycoplasma gallisepticum, Mycoplasma synoviae, Clostridium spp, Haemophilus spp, Streptococcus spp, Pasteurella spp & Rickettsia spp.

Composition:

Each kg contains:

Erythromycin Thiocyanate Eq. to 100 grams of Erythromycin Base ExcipientsQ.s

Features:

- ✓ Compatible with all other antibiotics & coccidiostats
- ✓ Treats effectively Mycoplasma infections in upper respiratory tract
- ✓ Effective in preventing occurrence of wide range of bacterial species like Mycoplasma gallisepticum, Mycoplasma synoviae, Clostridium spp, Haemophilus spp, Streptococcus spp, Pasteurella spp & Rickettsia spp

Dosage:

For Treatment:

20 mg per kg body weight for 3-5 days in drinking water or as recommended by Veterinarian.

Inclusion rate in feed:

500 grams to 1 kg per tonne of feed

Withdrawal period:

7 days for eggs 1 day for meat

Incompatibility with other drugs:

Do not combine Erythromycin with other macrolide antibiotics

Presentation: 1 Kg

